

CERA

Cera Sanitaryware Limited

Corporate Office:

Madgul Lounge, 2nd Floor, 23, Chetla Central Road, Opp. Chetla Central Park, Kolkata 700027
Tel +91 33 24484222, 24484223, 24484224 Email: corporateoffice@cera-india.com Web: www.cera-india.com

Sales & Marketing Office:

Madhusudan House, Opp. Navrangpura Telephone Exchange, Navrangpura, Ahmedabad 380006
Tel: +91 79 26449781, 26449789 Fax: +91 79 26569259 Email: marketing@cera-india.com

Regional Offices:

Ahmedabad: 2nd Floor, B Block, The Acropolis Mall, S.G. Highway, Thaltej, Ahmedabad, Gujarat 380054

Tel: +91 79 32205237 Email: bathstudio_ahd@cera-india.com

Bengaluru: 58, Todi Residency, 1st Floor, 100 Feet Road, Indiranagar, Bengaluru 560038

Tel: +91 80 32917343 Email: bangalore@cera-india.com

Chandigarh: SCO No. 46, Pocket No. 1, NAC, Manimajra, Chandigarh 160101

Tel: +91 172 3208093, 5001007 Email: chandigarh@cera-india.com

Chennai: 10 Square Mall, 2nd Floor, West Wing, 100 ft Road, #64, Jawaharlal Nehru Road, Koyambedu, Chennai 600107

Tel: +91 44 32469884, 32469885

Delhi & NCR: 587, Udyog Vihar, Phase - V, Gurgaon 122016

Tel: +91 124 2450056, 2450057 Telefax: +91 124 2450059 Email: delhi@cera-india.com

Hyderabad: 1103, 2nd Floor, Peddamma Temple Circle, Jubilee Hills, Road No. 36, Hyderabad 500033

Tel: +91 40 32591434 Telefax: +91 40 23546918 Email: hyderabad@cera-india.com

Kochi: 1st Floor, Jacob's, 33-326B, Chalikavattam, Vyttila NH By-pass 47, Ernakulam, Kochi 682019

Tel: +91 484 3232043, 3231446 Telefax: +91 484 2805440 Email: cochin@cera-india.com

Kolkata: Tirumala 22, 3rd Floor, Flat - 3A, 22 Topsia Road (East), Near Topsia Crossing, Kolkata 700046

Tel: +91 33 32996221, 32007152 Email: calcutta@cera-india.com

Kozhikode: 29/698-EA, 3rd Floor, Jubilee Building, I G Road, Parayanjeri, Kozhikode 673016

Tel: +91 495 4012525 Email: calicut@cera-india.com

Mumbai: 7, Woodrow Building, Veera Desai Road, Andheri West, Mumbai 400053

Tel: +91 22 42958370, 42958372, 42958373, 32508669 Fax: +91 22 42958374 Email: mumbai@cera-india.com

Pune: Safalya, 2nd Floor, CTS No: 1103/A-9, Adarsh Colony, Opp. Vidya Bhawan, Shivaji Nagar, Pune 411005

Thiruvananthapuram: 2nd Floor, CPS Plaza, TC 79/342/5/6, Opp. Nissan Showroom, NH Bypass, Venpalavattom, Anayara P.O., Thiruvananthapuram 695029

Tel: +91 471 3200395, 3200396 Email:trivandrum@cera-india.com

Thrissur: Saraswathy Anugraha Apartments, Opp. Thenjithukavu Temple, Ayyanthole, Thrissur 680003

Tel: +91 487 2364170 Email: trichur@cera-india.com

CERA Style Studio

Company Display Centre

Ahmedabad: 2nd Floor, B Block, The Acropolis Mall, S.G. Highway, Thaltej, Ahmedabad, Gujarat 380054

Tel: +91 79 32205237 Email: bathstudio_ahd@cera-india.com

Bengaluru: 58, Todi Residency, 1st Floor, 100 Feet Road, Indiranagar, Bengaluru 560038

Tel:+91 80 32917343 E-mail: bangalore@cera-india.com

Chandigarh: SCO No. 46, Pocket No. 1, NAC, Manimajra, Chandigarh 160101

Tel: +91 172 3208093, 5001007 Email: chandigarh@cera-india.com

Chennai: 10 Square Mall, 2nd Floor, West Wing, 100 ft Road, #64, Jawaharlal Nehru Road, Koyambedu, Chennai 600107

Tel: +91 44 32469884, 32469885

Delhi & NCR: 587, Udyog Vihar, Phase - V, Gurgaon 122016

Tel: +91 124 2450056, 2450057 Telefax: +91 124 2450059 Email: delhi@cera-india.com

Hyderabad: 1103, 2nd Floor, Peddamma Temple Circle, Jubilee Hills, Road No. 36, Hyderabad 500033

Tel: +91 40 32591434 Telefax: +91 40 23546918 Email: hyderabad@cera-india.com

Kochi: 1st Floor, Jacob's, 33-326B, Chalikavattam, Vyttila NH By-pass 47, Ernakulam, Kochi 682019

Tel: +91 484 3232043, 3231446 Telefax: +91 484 2805440 Email: cochin@cera-india.com

Kolkata: Tirumala 22, 3rd Floor, Flat - 3A, 22 Topsia Road (East), Topsia Crossing, Kolkata 700046

Tel: +91 33 32996221, 32007152 Email: calcutta@cera-india.com

Mumbai: 7, Woodrow Building, Veera Desai Road, Andheri West, Mumbai 400053

Tel: +91 22 42958370, 42958372, 42958373, 32508669 Fax: +91 22 42958374 Email: mumbai@cera-india.com

Thiruvananthapuram: 2nd Floor, CPS Plaza, TC 79/342/5/6, Opp. Nissan Showroom, NH Bypass, Venpalavattom, Anayara P.O., Thiruvananthapuram 695029

Tel: +91 471 3200395, 3200396 Email:trivandrum@cera-india.com

CERA Style Gallery

Exclusive CERA Tiles Display Centre

Hyderabad: Plot No. 496, Ground Floor, Nagasuri Enclave, Gokul Plots, Main Road, Near 9th Phase KPHB Colony, Hyderabad 500072

Tel: +91 40 23052333

Regd. Office & Works:

9, GIDC Industrial Estate, Kadi 382715, District Mehsana, North Gujarat

Tel: +91 2764 242329, 262619, 262638, 263874, 321949 Telefax: +91 2764 242465 Email: kadi@cera-india.com

CERA Care

Toll Free: 1800 200 1801 | ceracare@cera-india.com



Doc-403D1410/Dec2015



CERA

Digital Wall & Floor Tiles

Floor Tiles Collection 2016

INDEX

Floor Tiles

LUCIDO

■ 800 x 1200 mm Gloss 	1-4
■ 600 x 1200 mm Gloss	5-7
■ 600 x 1200 mm Matt	8-9
■ 600 x 1200 mm Forest	10-11
■ 800 x 800 mm Gloss 	12-13
■ 600 x 600 mm Gloss	14-15
■ 600 x 600 mm Matt	16-19
■ 600 x 600 mm Forest	20-21
■ 600 x 600 mm Sugar Finish	22
■ 600 x 600 mm Metalica	23
■ 600 x 600 mm Stone Finish	24-25
■ 195 x 1200 mm Forest	26-27
■ 145 x 600 mm Forest	28-29

REFINITO

■ 800 x 1200 mm Gloss	30-33
■ 800 x 800 mm Gloss	34-36
■ 600 x 600 mm Gloss	37-39

ELEGANTE

■ 605 x 605 mm Gloss	40-41
■ 600 x 600 mm Gloss	42-45

ETERNO

■ 600 x 600 mm Forest	46-57
■ 600 x 600 mm Matt	58-64

RUVIDO

■ 300 x 300 mm Satin	65-66
■ 300 x 300 mm Rough & Tough	67

FIORE

■ 395 x 395 mm Digital	68-71
■ 300 x 300 mm Digital	72-77

PATIO

■ 300 x 300 mm Digital 	78-81
■ 300 x 300 mm	82-83

The new dimension of Style



LUCIDO



LU 1201 | Darroch



LU 1202 | Darsy



LU 1203 | Darton



LU 1204 | Davan



LU 1205 | Dannetta



LU 1206 | Davonna

The new dimension of Style



LU 1207 | Daviot



LU 1208 | Davine




LU 1209 | Dawana

The new dimension of Style



LU 7105
LU 7106



LU 7107 | Daena



LU 7108 | Danelia



LU 7109 | Daire



LU 7110 | Daizy



LU 7111 | Dalena



LU 7112 | Dalain



LU 7108
LU 7109



LU 7113 | Dazeil



LU 7102 | Delmoro



LU 7103 | Delong



LU 7105 | Delrose



LU 7106 | Deluccio




600 x 1200 mm Matt

The new dimension of Style



LU 7403 | Damir



LU 7401 | Delise



LU 7404 | Damone



LU 7402 | Della





LU 7506 | Danetta



LU 7507 | Damice



LU 7508 | Damiela



LU 7509 | Darecy



LU 7510 | Darelle





LU 7501 | Delano



LU 7503 | Delega



LU 7504 | Deleon



LU 7505 | Delfa






LU 8101 | DANHY



LU 8102 | DAVICE



LU 8103 | DARON



LU 8104 | DAROLD




LU 8105 | DARRA



LU 8104

600 x 600 mm Gloss



LU 6101 | Dallin



LU 6103 | Damon



LU 6105 | Dalton



LU 6106 | Darcy



LU 6109
LU 6111

600 x 600 mm Gloss



LU 6107 | Darla



LU 6108 | Darrel



LU 6109 | Darwin



LU 6111 | Delia





LU 6407
LU 6408

600 x 600 mm Matt



LU 6402 | DEANA



LU 6403 | DENZEL



LU 6406 | DENVER



LU 6409 | DELLAIRA



LU 6407 | DELLOSO



LU 6411 | DECINA



LU 6410 | DELVITTO



LU 6408 | DELLINO



LU 6412 | DECOLA

600 x 600 mm Matt



LU 6404 | DEVIN



LU 6405 | DENISE





LU 6109
LU 6111

LU 6501

600 x 600 mm Forest



LU 6501 | DOSOLO



LU 6502 | DOVERA



LU 6503 | DOVADOLA



LU 6504 | DERVIO



LU 6505 | DONADA



LU 6201

600 x 600 mm Sugar Finish



LU 6201 | DIAGO



LU 6202 | DALMINE

600 x 600 mm Metallica



LU 6301 | DIXIE



LU 6302 | DAVINA



LU 6301



LU 6601 | DECANIO



LU 6602 | DECASTRO



LU 6603 | DEFINO



LU 6604 | DEFALCO





LU 5101
LU 5102

195 x 1200 mm Forest



LU 5201 | DELMEI



LU 5202 | DELPRETE



LU 5203 | DELUCHI



LU 5204 | DELGATTO



LU 5101 | DELPIN



LU 5102 | DELALLA



LU 5103 | DELALIO



LU 5104 | DELAMAR



LU 5105 | DELAURA



LU 5106 | DELBEN



LU 5107 | DELCARLO



LU 5108 | DELLAMANO



REFINITO

Double Charged Vitrified Tiles

CERA

800 x 1200 mm Gloss



RE 1201 | Carisio



RE 1202 | Camillo



RE 1203 | Catona



REFINITO

Double Charged Vitrified Tiles

CERA

800 x 1200 mm Gloss



RE 1271 | Carol



RE 1272 | Calabro



RE 1251 | Candela



REFINITO

Double Charged Vitrified Tiles

CERA

800 x 800 mm Gloss



RE 827 | CASSENA



RE 831 | CASINA




RE 826 | CASCINA



RE 833 | CARBONIA



RE 821 | CASALINO



RE 823 | CASARANO

800 x 800 mm Gloss

600 x 600 mm Gloss




RE 824 | CASARGO



RE 825 | CASAZZA



RE 832 | CARINOLA



RF 611 | EGNA



RF 612 | ESTE



RF 607 | ERBA



RF 613 | ERICE





RF 603
RF 604



RF 616 | EDOLO



RF 617 | EGIDIO



RF 618 | EGIZI



RF 619 | ERMIE

600 x 600 mm Gloss



RF 603 | ELDO



RF 604 | ENRICH



RF 614 | ENEGO



RF 615 | ELLERA




ELEGANTE
Vitrified Tiles with Nano Technology

CERA


605 x 605 mm Gloss




EL 639 | TRAINA



EL 640 | TUSCANIA



EL 641 | TRAMUNTI



EL 642 | TORRIANA



ELEGANTE

Vitrified Tiles with Nano Technology

CERA

600 x 600 mm Gloss



EG 667 | KALLIMA



EG 668 | KALGARIS



EG 669 | KALIS



EG 602 | TRENTO



EG 613 | KORLA



EG 614 | KARDIA



EG 662 | KEFALONIA



EG 663 | KEMANO



EG 611 | KELLE



EG 632 | REMINI



EG 661 | KAVALA



EG 612 | KUITO




EG 614

ELEGANTE

Vitrified Tiles with Nano Technology

CERA

600 x 600 mm Gloss



EG 651 | ZEVIO



EG 604 | TRAVIA



600 x 600 mm Gloss



EG 635 | REVEIRA



EG 637 | RIVOLI



EG 604





ED 4236



ED 4236 | PETENKA



ED 4237 | PETYA



ED 4238 | PACIFICO



ED 4219 | PADILLA



ED 4224 | PALETTA



ED 4225 | PALILLA



ED 4226 | PAGOGA

600 x 600 mm Forest




ED 4234 | PARASHA




ED 4235 | PARCO



ED 4211 | PAGNATO



ED 4212 | PAGOTTI



ED 4213 | PAONI



ED 4215 | PALAMARA



ED 4216 | PALANDRA



ED 4217 | PALONE





ED 4109

600 x 600 mm Forest



ED 4103 | PASQUL



ED 4105 | PENNE



ED 4104 | PARY



ED 4107 | PATTERNO



ED 4109 | PETROVA

600 x 600 mm Forest

600 x 600 mm Forest



ED 4108 | PARATICO



ED 779 | PABLO



ED 781 | PALESTRO



ED 782 | PALAMA





ED 755 | PADULA



ED 756 | PASTRENUGO



ED 4106 | PENZA



ED 784 | POTENZA



ED 785 | PROCIDA




ED 787 | PALOSCO



ED 778 | PERLA



ED 780 | PARVEL



ED 778
ED 780

600 x 600 mm Matt

600 x 600 mm Matt



ED 4218 | PALUSO



ED 4227 | PATRICIA



ED 4228 | PAM



ED 4229 | PABE





ED 4205 | PORTO



ED 4206 | PANATTA



ED 4207 | PASAREL



ED 4208 | PINNER



ED 4205
ED 4206
ED 4207
ED 4208

600 x 600 mm Matt



ED 4254
ED 4255

ED 4249



ED 4239 | PADRIC



ED 4240 | PAELLA



ED 4241 | PALBA



ED 4242 | PALMA



ED 4243 | PANTHEA



ED 4244 | PAPRIKA



ED 4245 | PARKE



ED 4246 | PARNELL




ED 4247 | PARSON



ED 4248 | PASCALA



ED 4249 | PASTORA



ED 4250 | PATRIDO



ETERNO
Digital Porcelain Tiles

ED 4243



CERA

RUVIDO

New Collection

600 x 600 mm Matt



ED 4251 | PAULETTA



ED 4252 | PERLINA



ED 4253 | PELECIA



ED 4254 | PELLKITA



ED 4255 | PENINE



ED 728 | PERCY



ED 729 | PEDRO



ED 753 | PALUZZA



RUS 303

300 x 300 mm Satin



RUS 301 | RUBINA



RUS 302 | RUVIGO



RUS 303 | RUVO

300 x 300 mm Rough & Tough



RUT 376 | RUDINO



RUT 377 | RUVETTA



RUT 378 | RUBERO



RUT 379 | RUBBITO




RUT 376
RUT 377



FIORE
HD Digital Tiles

CERA

395 x 395 mm Digital



FR 2005 | FRASURE



FR 2006 | FREDINI



FR 2007 | FRASONI




FR 2008 | FRENCIA



FR 2009 | FRETTO



FR 2010 | FRANZINI



FR 2011 | FRISINA



FR 2012 | FRITTOLE



FR 2013 | FIZERRA



FR 2014 | FRAZZITTA



FR 2015 | FROLINI



FIORE

HD Digital Tiles

CERA

395 x 395 mm Digital



FR 2001 | FRASCO



FR 2002 | FRATINI



FR 2003 | FRADELLA



FR 2004 | FRAUSIN





300 x 300 mm Digital



FR 1005 | Frandi Brown



FR 1006 | Frandi Grey



FR 1007 | Franze Beige



FR 1008 | Franze Brown



FR 1009 | Fulovia



FR 1010 | Fronzo Brown



FR 1011 | Fronzo



FR 1012 | Fronzo Grey



FR 1013 | Freda Brown




FR 1014 | Freda Grey



FR 1015 | Fronda



FR 1016 | Fratti



FR 1017 | Fralo Dark



FR 1018 | Fralo Light



FR 1019 | Fragano Brown



FR 1020 | Fragano White



FR 1021 | Francavilla Beige



FR 1022 | Francavilla Brown



FR 1023 | Francavilla Grey



FR 1024 | Francavilla Natura



FR 1025 | Francavilla Cloud



300 x 300 mm Digital



FR 1001 | FRABONI



FR 1002 | FRACASSI




FR 1003 | FRABOTTA



FR 1004 | FRANZIA





300 x 300 mm



PD 301 | PATRON



PD 302 | PATRIDO



PD 303 | PENTON



PD 304 | PAMINE



PD 311 | PHILIDA



PD 312 | PHITO



PD 313 | POVISKA



PD 314 | POSINA



PD 305 | PENTHEA



PD 306 | PEPITA



PD 307 | PETENKA



PD 308 | PETROVIA



PD 309 | PETYA



PD 310 | PHILENA





PATIO

Parking Tiles

300 x 300 mm

CERA


MUSTARD




PT 201 T | TROSIA TERACOTTA



PT 201 V | TROSIA IVORY



PT 105 T | ROBECCO TERACOTTA




PT 105 V | ROBECCO IVORY




PT 106 T | ROZZANO TERACOTTA




PT 106 V | ROZZANO IVORY



PT 107 T | ROVATO TERACOTTA



PT 107 V | ROVATO IVORY




PT 109 T | TROSSANO TERACOTTA



PT 109 V | TROSSANO IVORY



PT 110 T | TROVETTA TERACOTTA



PT 110 V | TROVETTA IVORY

PT 105 T
PT 105 V

Technical specification of CERA Floor Tiles

Digital Glazed Vitrified Tiles - Lucido

Sr. No.	Characteristics	ISO Standard Specification	CERA Specifications	Method of Testing
1	Deviation in Length & Width	± 0.6%	± 0.3%	EN-98
2	Deviation in Thickness	± 5.0%	± 1.0%	EN-98
3	Deviation in Straightness of Sides	± 0.5%	± 0.1%	EN-98
4	Deviation in Rectangularity	± 0.6%	± 0.2%	EN-98
5	Deviation in Surface Flatness	± 0.5%	± 0.2%	EN-98
6	Water Absorption	< 0.5%	< 0.05%	EN-98
7	Mohs Hardness	> 6%	> 7%	EN-101
8	Modulus of Rupture in N/mm ²	> 27 N/mm ²	> 44 N/mm ²	EN-100
9	Chemical Resistance*	Resistant	No Damage	EN-106
10	Thermal Shock Resistance	No Damage	No Damage	EN-104
11	Colour Resistance	Resistant	No Damage	DIN 51094
12	Stain Resistance	Resistant	Class 1 (Resistance)	ISO 105 45-14
13	Moisture Expansion	NIL	NIL	ISO-10545-8
14	Surface Quality	Min 95%	No Visible Defect	Glosso Meter (only for polished GVT)
15	Glossiness	Min 90%	Min 95%	
16	Frost Resistance	No Damage	No Damage	
17	Crazing Resistance	Min 10 cycle	Min 10 cycle	Iso-10545-11
18	Friction Co-efficient	>0.40	>0.040	ISO-10545-17

Double Charged Vitrified Tiles - Refinito

Sr. No.	Characteristics	ISO Standard Specification	CERA Specifications	Method of Testing
1	Deviation in Length & Width	± 0.6%	± 0.3%	EN-98
2	Deviation in Thickness	± 5.0%	± 1.0%	EN-98
3	Deviation in Straightness of Sides	± 0.5%	± 0.1%	EN-98
4	Deviation in Rectangularity	± 0.6%	± 0.2%	EN-98
5	Deviation in Surface Flatness	± 0.5%	± 0.2%	EN-98
6	Water Absorption	< 0.5%	< 0.05%	EN-98
7	Mohs Hardness	> 6%	> 7%	EN-101
8	Modulus of Rupture in N/mm ²	> 27 N/mm ²	> 44 N/mm ²	EN-100
9	Chemical Resistance*	Resistant	No Damage	EN-106
10	Thermal Shock Resistance	No Damage	No Damage	EN-104
11	Colour Resistance	Resistant	No Damage	DIN 51094
12	Stain Resistance	Resistant	Class 1 (Resistance)	ISO 105 45-14
13	Moisture Expansion	NIL	NIL	Glosso Meter
14	Glossiness	Min 90% reflection	Min 90% Reflection	
15	Surface Quality	Min 95%	No Visible Defect	
16	Color Differences	Unaltered	No Change	ISO-10545-16
17	Deep Abrasion Resistance	Max 175 mm ¹	Max 175 mm ¹	ISO-10545-6

Vitrified Tiles with Nano Technology - Elegante

Sr. No.	Characteristics	ISO Standard Specification	CERA Specifications	Method of Testing
1	Deviation in Length & Width	± 0.6%	± 0.3%	EN-98
2	Deviation in Thickness	± 5.0%	± 1.0%	EN-98
3	Straightness of Sides	± 0.5%	± 0.1%	EN-98
4	Deviation in Rectangularity	± 0.6%	± 0.2%	EN-98
5	Deviation in Surface Flatness	± 0.5%	± 0.2%	EN-98
6	Water Absorption	< 0.5%	< 0.05%	EN-98
7	Mohs Hardness	> 6%	> 7%	EN-101
8	Modulus of Rupture in N/mm ²	> 27 N/mm ²	> 44 N/mm ²	EN-100
9	Chemical Resistance*	Resistant	No Damage	EN-106
10	Thermal Shock Resistance	No Damage	No Damage	EN-104
11	Colour Resistance	Resistant	No Damage	DIN 51094
12	Stain Resistance	Resistant	Class 1 (Resistance)	ISO 105 45-14
13	Moisture Expansion	NIL	NIL	Glosso Meter
14	Glossiness		Min 90% Reflection	
15	Surface Quality	Min 95%	Free from Visible Defects	

Ceramic Floor Tiles - ETERNO

Sr. No.	Characteristics	ISO Standard Specification	CERA Specifications	Method of Testing
1	Deviation in Length & Width	± 0.6%	± 0.2%	ISO-10545-2
2	Deviation in Thickness	± 5.0%	± 4.0%	ISO-10545-2
3	Straightness of Sides	± 0.5%	± 0.3%	ISO-10545-2
4	Rectangularity	± 0.6%	± 0.2%	ISO-10545-2
5	Surface Flatness	± 0.5%	± 0.2%	ISO-10545-2
6	Surface Quality	Min 95%	Min 95%	ISO-10545-2
7	Water Absorption	3% - 6%	3% - 4%	ISO-10545-3 2 2
8	Modulus of Rupture in N/mm ²	> 35 N/mm ²	> 40 N/mm ²	ISO-10545-4
9	Scratch Hardness of Surface (Moh's Scale)	>3	4 to 6	EN-101
10	Crazing Resistance	2 Cycles	4 Cycles	ISO-10545-7
11	Thermal Shock Resistance	10 Cycles	10 Cycles	ISO-10545-9
12	Chemical Resistance*	Resistance	Resistance	ISO-10545-13
13	Stain Resistance	Resistance	Resistance	ISO-10545-14
14	Surface Quality	Min 95%	No Visible Defect	

* Resistance to all acid except Hydrochloric acid and its component

Anti Skid Tiles - Ruvido

Sr. No.	Characteristics	ISO Standard Specification	CERA Specifications	Method of Testing
1	Deviation in Length & Width	± 0.6%	± 0.3%	EN-98
2	Deviation in Thickness	± 5.0%	± 1.0%	EN-98
3	Deviation in Straightness of Sides	± 0.5%	± 0.1%	EN-98
4	Deviation in Rectangularity	± 0.6%	± 0.2%	EN-98
5	Deviation in Surface Flatness	± 0.5%	± 0.2%	EN-98
6	Water Absorption	3%-6%	3-5%	EN-98
7	Mohs Hardness	MIN-5	MIN-6	EN-101
8	Modulus of Rupture in N/mm ²	>15 N/mm ²	>24 N/mm ²	EN-100
9	Chemical Resistance*	Resistant	No Damage	EN-106
10	Thermal Shock Resistance	No Damage	No Damage	EN-104
11	Colour Resistance	Resistant	No Damage	DIN 51094
12	Stain Resistance	Resistant	Class 1 (Resistance)	ISO 105 45-14
13	Moisture Expansion	NIL	NIL	ISO 10545-14
14	Surface Quality	Min 95%	No Visible Defect	
15	Skid Resistance	>0.4	>0.4	
16	Deep Abrasion Resistance	Max 175 mm	Max 175 mm	ISO 10545-14

Ceramic Digital Floor Tiles - FIORE

Sr. No.	Characteristics	ISO Standard Specification	CERA Specifications	Method of Testing
1	Deviation in Length & Width	± 0.5%	± 0.1%	ISO-10545-2
2	Deviation in Thickness	± 5.0%	± 4.0%	ISO-10545-2
3	Deviation in Straightness of Sides	± 0.3%	± 0.15%	ISO-10545-2
4	Deviation in Rectangularity	± 0.5%	± 0.1%	ISO-10545-2
5	Deviation in Surface Flatness	± 0.5%	± 0.2%	ISO-10545-2
6	Water Absorption	<6%	<6%	EN-101
7	Mohs Hardness	>6	>7	
8	Modulus of Rupture in N/mm ²	>15 N/mm ²	>24 N/mm ²	
9	Chemical Resistance*	Resistant	No Damage	EN-106
10	Thermal Shock Resistance	No Damage	No Damage	EN-104
11	Colour Resistance	Resistant	No Damage	DIN 51094
12	Stain Resistance	Resistant	Class 1 (Resistance)	ISO 105 45-14
13	Moisture Expansion	NIL	NIL	ISO 10545-14
14	Surface Quality	95%	No Visible Defect	
15	Skid Resistance	>0.4	>0.4	
16	Deep Abrasion Resistance	Max 175 mm	Max 175 mm	ISO 10545-14
17	Frost Resistance	No Damage	Frost Proof	ISO 10545-12

Parking Tiles - Patio

Sr. No.	Characteristics	ISO Standard Specification	CERA Specifications	Method of Testing
1	Deviation in Length & Width	± 0.6%	± 0.2%	ISO-10545-2
2	Deviation in Thickness	± 5.0%	± 4.0%	ISO-10545-2
3	Deviation in Straightness of Sides	± 0.5%	± 0.3%	ISO-10545-2
4	Deviation in Rectangularity	± 0.6%	± 0.2%	ISO-10545-2
5	Deviation in Surface Flatness	± 0.5%	± 0.2%	ISO-10545-2
6	Surface Quality	Min 95%	Min 95%	ISO-10545-2
7	Water Absorption	<0.5%	<0.05%	ISO-10545-3 2 2
8	Modulus of Rupture in N/mm ²	>35 N/mm ²	>45 N/mm ²	ISO-10545-4
9	Scratch Hardness of Surface (Moh's Scale)	>6	>7	EN-101
10	Abrasion Resistance	< 175 mm ¹	< 175 mm ¹	ISO-10545-7
11	Thermal Shock Resistance	Resistant	Resistant	ISO-10545-9
12	Chemical Resistance*	Resistant	Resistant	ISO-10545-13
13	Stain Resistance	Resistant	Resistant	ISO-10545-14
14	Density (g/cc)	>2.0	>2.4	ISO 10545-3
15	Moisture Expansion	Nil	Nil	ISO 10545-10
16	Frost Resistance	Frost Proof	Frost Proof	Iso10545-12

* Resistance to all acid except Hydrochloric acid and its component

Sr. No.	Product	Nominal Size	No. of Tiles / Box	Approx Covering Area	Approx Weight / Box
1	Digital Glazed Vitrified Tiles	800 x 1200 mm	2	1.92 Sq.Mtr	51 Kg
2	Digital Glazed Vitrified Tiles	600 x 1200 mm	2	1.44 Sq.Mtr	39 Kg
3	Digital Glazed Vitrified Tiles	800 x 800 mm	2	1.28 Sq.Mtr	34 Kg
4	Digital Glazed Vitrified Tiles	600 x 600 mm	4	1.44 Sq.Mtr	31 Kg
5	Digital Glazed Vitrified Tiles	195 x 1200 mm	6	1.40 Sq.Mtr	36 Kg
6	Digital Glazed Vitrified Tiles	145 x 600 mm	12	1.04 Sq.Mtr	23.5 Kg
7	Vitrified Tiles with Nano Technology	600 x 600 mm	4	1.44 Sq.Mtr	31 Kg
8	Double Charged Vitrified Tiles	800 x 1200 mm	2	1.92 Sq.Mtr	46.5 Kg
9	Double Charged Vitrified Tiles	800 x 800 mm	3	1.92 Sq.Mtr	45 Kg
10	Double Charged Vitrified Tiles	600 x 600 mm	4	1.44 Sq.Mtr	31 Kg
11	Digital Porcelain Tiles	600 x 600 mm	4	1.44 Sq.Mtr	30 Kg
12	Anti-Skid Tiles	300 x 300 mm	10	0.9 Sq.Mtr	13.5 Kg
13	Digital Floor	300 x 300 mm	10	0.9 Sq.Mtr	13.5 Kg
14	Digital Floor	395 x 395 mm	7	1.09 Sq.Mtr	15 Kg
15	Digital Parking Tiles	300 x 300 mm	8	0.72 Sq.Mtr	15.5 Kg
16	Parking Tiles	300 x 300 mm	10	0.9 Sq.Mtr	18 Kg

Notes:

- Reproduction of tiles colour in this catalogue may vary from actual piece, so please verify the colour in actual piece.
- Size variations are inherent to ceramic products and ±2% in size may be allowed as per Company policies.
- If colour variation is observed in tiles from different boxes of same purchase, it should be notified before laying. No complaint shall be entertained on tiles already fixed / laid.
- CERA's liability will be limited only to replacement of tiles supplied as per Company policies only.
- Due to continuous upgradations, tiles specifications such as size and colours may vary time to time. Please verify the products for correct specifications before purchase.
- All technical specifications mentioned in this catalogue are for premium quality only.

Disclaimer:

- CERA reserves the right to delete and amend totally or partially, any of the colours, shapes, sizes, references and technical specifications of the product and product shown in the catalogue.