


MAXIMUS

MEGA SLAB



RAK
CERAMICS

Close to you worldwide


Rules are made to be broken...



Big Slabs for Big Ideas - How will you use yours?

We have created a world where big is beautiful, with visually expanded spaces, fewer design interruptions and endless possibilities.





135x305 cm
53"x120"

The design possibilities are endless.

Imagine a tiled space with virtually no grout lines.

Imagine a kitchen surface made from a single piece of porcelain.

Imagine limitless possibilities and unparalleled flexibility.

Maximus is available in 4 gigantic sizes:

135x305cm, 120x240cm, 120x120cm and 29x240cm.





120x240 cm
47"x94"



29x240 cm
11"x94"



120x120 cm
47"x47"



Unleash your imagination
and harness the power of Maximus.

Total flexibility to suit every need. Maximus is available in 3 thicknesses: 6 mm, 12.5 mm and 14.5 mm

> <

6 mm
0.24"

> <

12.5 mm
0.49"

> <

14.5 mm
0.57"



MAXIMUS
COLLECTION

11	ANCHOR WOOD
23	CLASSIC
33	TOXO
39	TRAVERTINE
47	UNI
59	VOLCANO



SIZE

29x240 cm
11"x94.5"

THICKNESS

>|< **12.5 mm**
0.49"

APPLICATIONS

Floor | Wall | Commercial | Façade





Wall: **Anchor Wood** Crema Nut
Floor: **Anchor Wood** Anthracite

SIZE

29x240 cm
11"x94.5"

THICKNESS

>|< **12.5 mm**
0.49"

APPLICATIONS

Floor | Wall | Commercial | Façade





Anchor Wood Light Grey

SIZE


29x240 cm
11"x94.5"

THICKNESS

>|< **12.5 mm**
0.49"



APPLICATIONS

Floor | Wall | Commercial | Façade





BeigeBrownOakNutLight GreyAnthracite

COLOUR		SIZE (cm / inches)	THICKNESS (mm)	CODE (Matt)	PG * (Matt)
	Beige	29x240 / 11"x94"	12.5	A29GZAWD#BEQ.MOC5R	PG-44
	Brown	29x240 / 11"x94"	12.5	A29GZAWD#BRQ.MOC5R	PG-44
	Oak	29x240 / 11"x94"	12.5	A29GZAWD#OAK.MOC5R	PG-44
	Nut	29x240 / 11"x94"	12.5	A29GZAWD#NUQ.MOC5R	PG-44
	Light Grey	29x240 / 11"x94"	12.5	A29GZAWD#LGY.MOC5R	PG-44
	Anthracite	29x240 / 11"x94"	12.5	A29GZAWD#ANQ.MOC5R	PG-44

* Packing costs will be charged separately
Prices are subject to change

SIZE	THICKNESS	APPLICATIONS
29x240 cm 11"x 94.5"	> < 12.5 mm 0.49"	Floor Wall Commercial Façade

Anchor Wood Nut



Wall: **Anchor Wood** Light Grey, **Classic** Mariquina | Floor: **Anchor Wood** Nut



SIZE	THICKNESS	APPLICATIONS
29x240 cm 11'x 94.5"	> < 12.5 mm 0.49"	Floor Wall Commercial Façade

Façade: **Anchor Wood** Oak



MAXIMILIAN
COLLECTION

11	ANCHOR WOOD
23	CLASSIC
33	TOXO
39	TRAVERTINE
47	UNI
59	VOLCANO



Wall: **Classic** Carrara
Floor: **Classic** Marquina

SIZES	THICKNESS	APPLICATIONS
 135x305 cm 53"x120"	 14.5 mm 0.57" 135x305 cm / 53"x120"	
 120x240 cm 47"x94.5"	 12.5 mm 0.49" 120x240 cm / 47"x94.5"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top
 120x120 cm 47"x47"		





Wall: **Classic** Marmi Silica
Floor: **Classic** Marfil
Table Top: **Classic** Marmi Silica

SIZES	THICKNESS	APPLICATIONS
135x305 cm 53"x120" 120x240 cm 47"x94.5" 120x120 cm 47"x47"	> < 14.5 mm 0.57" 135x305 cm / 53"x120" > < 12.5 mm 0.49" 120x240 cm / 47"x94.5" 120x120 cm / 47"x47"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top







Onyx

Carrara


Fiorito

Flurry

COLOUR		SIZES (cm / inches)	THICKNESS (mm)	CODE (Polished)	PG * (Polished)
	Onyx	135x305 / 53"x120"	14.5	A83GZONX-WH0.G0C2P	PG-49
		120x240 / 47"x94.5"	12.5	A46GZONX-WH0.G0C5P	PG-47
		120x120 / 47"x47"	12.5	A22GZONX-WH0.G0C5P	PG-47
	Carrara	135x305 / 53"x120"	14.5	A83GZCRR-GY0.G0C2P	PG-49
		120x240 / 47"x94.5"	12.5	A46GZCRR-GY0.G0C5P	PG-47
		120x120 / 47"x47"	12.5	A22GZCRR-GY0.G0C5P	PG-47
	Fiorito	135x305 / 53"x120"	14.5	A83GZFRT-BE0.G0C2P	PG-49
		120x240 / 47"x94.5"	12.5	A46GZFRT-IV0.G0C5P	PG-47
		120x120 / 47"x47"	12.5	A22GZFRT-BE0.G0C5P	PG-47
	Flurry	135x305 / 53"x120"	14.5	A83GZFLU-GY0.G0C2P	PG-49
		120x240 / 47"x94.5"	12.5	A46GZFLU-GY0.G0C5P	PG-47
		120x120 / 47"x47"	12.5	A22GZFLU-GY0.G0C5P	PG-47

* Packing costs will be charged separately
Prices are subject to change

SIZES	THICKNESS	APPLICATIONS
135x305 cm 53"x120" 120x240 cm 47"x94.5" 120x120 cm 47"x47"	> < 14.5 mm 0.57" 135x305 cm / 53"x120" > < 12.5 mm 0.49" 120x240 cm / 47"x94.5" 120x120 cm / 47"x47"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top



COLOUR		SIZES (cm / inches)	THICKNESS (mm)	CODE (Polished)	PG * (Polished)
	Petra	135x305 / 53"x120"	14.5	A83GZPTA-HBR.G0C2P	PG-49
		120x240 / 47"x94.5"	12.5	A46GZPTA-HBR.G0C5P	PG-47
		120x120 / 47"x47"	12.5	A22GZPTA-HBR.G0C5P	PG-47
	Marmi Silica	135x305 / 53"x120"	14.5	A83GZMSL-DBR.G0C2P	PG-49
		120x240 / 47"x94.5"	12.5	A46GZMSL-DBR.G0C5P	PG-47
		120x120 / 47"x47"	12.5	A22GZMSL-DBR.G0C5P	PG-47
	Marfil	135x305 / 53"x120"	14.5	A83GZMFL-BE0.G0C2P	PG-49
		120x240 / 47"x94.5"	12.5	A46GZMFL-BE0.G0C5P	PG-47
		120x120 / 47"x47"	12.5	A22GZMFL-BE0.G0C5P	PG-47
	Marquina	135x305 / 53"x120"	14.5	A83GZMQA-BK0.G0C2P	PG-49
		120x240 / 47"x94.5"	12.5	A46GZMQA-BK0.G0C5P	PG-47
		120x120 / 47"x47"	12.5	A22GZMQA-BK0.G0C5P	PG-47

* Packing costs will be charged separately
Prices are subject to change

Wall: **Classic** Onyx



SIZES	THICKNESS	APPLICATIONS
 135x305 cm 53"x120"	> < 14.5 mm 0.57"	135x305 cm / 53"x120"
 120x240 cm 47"x94.5"	> < 12.5 mm 0.49"	120x240 cm / 47"x94.5"
 120x120 cm 47"x47"		120x120 cm / 47"x47"
		Floor Wall Commercial Façade Vanity Top Counter Top Table Top

Wall: **Classic** Mariquina



MAXIMILIAN
COLLECTION

11	ANCHOR WOOD
23	CLASSIC
33	TOXO
39	TRAVERTINE
47	UNI
59	VOLCANO



Toxo Black

SIZES



120x240 cm
47"x94.5"



120x120 cm
47"x47"

THICKNESS

>|<

12.5 mm
0.49"

120x240 cm / 47"x94.5"
120x120 cm / 47"x47"

>|<

6 mm
0.24"

120x240 cm / 47"x94.5"

APPLICATIONS

Floor | Wall | Commercial | Façade |
Vanity Top | Counter Top | Table Top |





Black

COLOUR		SIZES (cm / inches)	THICKNESS (mm)	CODE (Matt)	PG * (Matt)
	Black	120x240 / 47"x94.5"	6	A46GZTX0-BK0.TOC6R	PG-S
		120x240 / 47"x94.5"	12.5	A46GZTX0-BK0.TOC5R	PG-44
		120x120 / 47"x94.5"	12.5	A22GZTX0-BK0.TOC5R	PG-44

* Packing costs will be charged separately
Prices are subject to change

SIZES	THICKNESS	APPLICATIONS
120x240 cm 47"x94.5" 120x120 cm 47"x47"	> < 12.5 mm 0.49" 120x240 cm / 47"x94.5" 120x120 cm / 47"x47" > < 6 mm 0.24" 120x240 cm / 47"x94.5"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top

Façade: **Toxo** Black



MAXIMUS
COLLECTION

11	ANCHOR WOOD
23	CLASSIC
33	TOXO
39	TRAVERTINE
47	UNI
59	VOLCANO



Wall: **Travertine** Dark Grey
Floor: **Travertine** Ivory

SIZES



120x240 cm
47"x94.5"



120x120 cm
47"x47"



29x240 cm
11"x94"

THICKNESS



12.5 mm
0.49"

120x240 cm / 47"x94.5"
120x120 cm / 47"x47"
29x240 cm / 11"x94.5"



6 mm
0.24"

120x240 cm / 47"x94.5"

APPLICATIONS

Floor | Wall | Commercial | Façade |
Vanity Top | Counter Top | Table Top |



MAXIMUS

COLLECTION

TRAVERTINE

TPOLOGY

Glazed


FINISHES

Matt



Travertine Light Grey

SIZES	THICKNESS	APPLICATIONS
120x240 cm 47"x94.5" 120x120 cm 47"x47" 29x240 cm 11"x94"	> < 12.5 mm 0.49" 120x240 cm / 47"x94.5" 120x120 cm / 47"x47" 29x240 cm / 11"x94.5" > < 6 mm 0.24" 120x240 cm / 47"x94.5"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top





Dark Grey

Ivory

Light Grey

COLOUR		SIZES (cm / inches)	THICKNESS (mm)	CODE (Matt)	PG * (Matt)
	Dark Grey	120x240 / 47"x94.5"	6	A46GZMTR-DGY.MOC6R	PG-S
		120x240 / 47"x94.5"	12.5	A46GZMTR-DGY.MOC5R	PG-52
		120x120 / 47"x47"	12.5	A22GZMTR#DGY.MOC5R	PG-52
		29x240 cm / 11"x94.5"	12.5	A29GZMTR#DGY.MOC5R	PG-S
	Ivory	120x240 / 47"x94.5"	6	A46GZMTR-IV0.MOC6R	PG-S
		120x240 / 47"x94.5"	12.5	A46GZMTR-IV0.MOC5R	PG-47
		120x120 / 47"x47"	12.5	A22GZMTR-IV0.MOC5R	PG-47
		29x240 cm / 11"x94.5"	12.5	A29GZMTR#IV0.MOC5R	PG-S
	Light Grey	120x240 / 47"x94.5"	6	A46GZMTR-LGY.MOC6R	PG-S
		120x240 / 47"x94.5"	12.5	A46GZMTR-LGY.MOC5R	PG-47
		120x120 / 47"x47"	12.5	A22GZMTR-LGY.MOC5R	PG-47
		29x240 cm / 11"x94.5"	12.5	A29GZMTR#LGY.MOC5R	PG-S

* Packing costs will be charged separately
Prices are subject to change

SIZES			THICKNESS	APPLICATIONS	
	120x240 cm 47"x94.5"			> < 12.5 mm 0.49" 120x240 cm / 47"x94.5" 120x120 cm / 47"x47" 29x240 cm / 11"x94.5" > < 6 mm 0.24" 120x240 cm / 47"x94.5"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top

Wall: **Travertine** Ivory | Floor: **Travertine** Light Grey



MAXIMUS
COLLECTION

11	ANCHOR WOOD
23	CLASSIC
33	TOXO
39	TRAVERTINE
47	UNI
59	VOLCANO



Wall: **Uni** Ivory
Floor: **Uni** Light Brown
Counter Top: **Uni** White

SIZES



135x305 cm
53"x120"



120x240 cm
47"x94.5"



120x120 cm
47"x47"

THICKNESS

>|<

14.5 mm
0.57"

135x305 cm / 53"x120"


>|<

12.5 mm
0.49"

120x240 cm / 47"x94.5"
120x120 cm / 47"x47"

APPLICATIONS

Floor | Wall | Commercial | Façade |
Vanity Top | Counter Top | Table Top |





Wall: **Uni** Dark Blue
Floor: **Uni** Mega White
Table Top: **Uni** Dark Grey

SIZES



135x305 cm
53"x120"



120x240 cm
47"x94.5"



120x120 cm
47"x47"

THICKNESS



14.5 mm
0.57"

135x305 cm / 53"x120"



12.5 mm
0.49"

120x240 cm / 47"x94.5"
120x120 cm / 47"x47"


APPLICATIONS


Floor | Wall | Commercial | Façade |
Vanity Top | Counter Top | Table Top |





SIZES	THICKNESS	APPLICATIONS
135x305 cm 53"x120" 120x240 cm 47"x94.5" 120x120 cm 47"x47"	> < 14.5 mm 0.57" 135x305 cm / 53"x120" > < 12.5 mm 0.49" 120x240 cm / 47"x94.5" 120x120 cm / 47"x47"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top






COLOUR		SIZES (cm / inches)	THICKNESS (mm)	CODE (Matt)	PG * (Matt)	CODE (Polished)	PG * (Polished)
	Mega White	135x305 / 53"x120"	14.5	A83GMAXI-MWH.MOC2R	PG-54	A83GMAXI-MWH.XOC2P	PG-55
		120x240 / 47"x94.5"	12.5	A46GMAXI-MWH.MOC5R	PG-51	A46GMAXI-MWH.XOC5P	PG-54
		120x120 / 47"x47"	12.5	A22GMAXI-MWH.MOC5R	PG-51	A22GMAXI-MWH.XOC5P	PG-54
	White	135x305 / 53"x120"	14.5	A83GMAXI-WHO.MOC2R	PG-52	A83GMAXI-WHO.XOC2P	PG-54
		120x240 / 47"x94.5"	12.5	A46GMAXI-WHO.MOC5R	PG-50	A46GMAXI-WHO.XOC5P	PG-52
		120x120 / 47"x47"	12.5	A22GMAXI-WHO.MOC5R	PG-50	A22GMAXI-WHO.XOC5P	PG-52
	Ivory	135x305 / 53"x120"	14.5	A83GMAXI-IV0.MOC2R	PG-46	A83GMAXI-IV0.XOC2P	PG-48
		120x240 / 47"x94.5"	12.5	A46GMAXI-IV0.MOC5R	PG-41	A46GMAXI-IV0.XOC5P	PG-46
		120x120 / 47"x47"	12.5	A22GMAXI-IV0.MOC5R	PG-41	A22GMAXI-IV0.XOC5P	PG-46
	Light Grey	135x305 / 53"x120"	14.5	A83GMAXI-LGY.MOC2R	PG-50	A83GMAXI-LGY.XOC2P	PG-54
		120x240 / 47"x94.5"	12.5	A46GMAXI-LGY.MOC5R	PG-45	A46GMAXI-LGY.XOC5P	PG-50
		120x120 / 47"x47"	12.5	A22GMAXI-LGY.MOC5R	PG-45	A22GMAXI-LGY.XOC5P	PG-50
	Dark Grey	135x305 / 53"x120"	14.5	A83GMAXI-DGY.MOC2R	PG-45	A83GMAXI-DGY.XOC2P	PG-48
		120x240 / 47"x94.5"	12.5	A46GMAXI-DGY.MOC5R	PG-40	A46GMAXI-DGY.XOC5P	PG-45
		120x120 / 47"x47"	12.5	A22GMAXI-DGY.MOC5R	PG-40	A22GMAXI-DGY.XOC5P	PG-45
	Dark Black	135x305 / 53"x120"	14.5	A83GMAXI-DBK.MOC2R	PG-54	A83GMAXI-DBK.XOC2P	PG-55
		120x240 / 47"x94.5"	12.5	A46GMAXI-DBK.MOC5R	PG-51	A46GMAXI-DBK.XOC5P	PG-54
		120x120 / 47"x47"	12.5	A22GMAXI-DBK.MOC5R	PG-51	A22GMAXI-DBK.XOC5P	PG-54
	Dark Blue	135x305 / 53"x120"	14.5	A83GMAXI-DBL.MOC2R	PG-57	A83GMAXI-DBL.XOC2P	PG-58
		120x240 / 47"x94.5"	12.5	A46GMAXI-DBL.MOC5R	PG-56	A46GMAXI-DBL.XOC5P	PG-56
		120x120 / 47"x47"	12.5	A22GMAXI-DBL.MOC5R	PG-56	A22GMAXI-DBL.XOC5P	PG-56

* Packing costs will be charged separately
Prices are subject to change

SIZES	THICKNESS	APPLICATIONS
135x305 cm 53"x120" 120x240 cm 47"x94.5" 120x120 cm 47"x47"	> < 14.5 mm 0.57" 135x305 cm / 53"x120" > < 12.5 mm 0.49" 120x240 cm / 47"x94.5" 120x120 cm / 47"x47"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top



COLOUR		SIZES (cm / inches)	THICKNESS (mm)	CODE (Matt)	PG * (Matt)	CODE (Polish)	PG * (Polished)
Medium Green		135x305 / 53"x120"	14.5	A83GMAXI-MGR.MOC2R	PG-48	A83GMAXI-MGR.XOC2P	PG-51
		120x240 / 47"x94.5"	12.5	A46GMAXI-MGR.MOC5R	PG-44	A46GMAXI-MGR.XOC5P	PG-48
		120x120 / 47"x47"	12.5	A22GMAXI-MGR.MOC5R	PG-44	A22GMAXI-MGR.XOC5P	PG-48
Light Beige		135x305 / 53"x120"	14.5	A83GMAXI-LBE.MOC2R	PG-52	A83GMAXI-LBE.XOC2P	PG-54
		120x240 / 47"x94.5"	12.5	A46GMAXI-LBE.MOC5R	PG-48	A46GMAXI-LBE.XOC5P	PG-52
		120x120 / 47"x47"	12.5	A22GMAXI-LBE.MOC5R	PG-48	A22GMAXI-LBE.XOC5P	PG-52
Beige		135x305 / 53"x120"	14.5	A83GMAXI-BE0.MOC2R	PG-51	A83GMAXI-BE0.XOC2P	PG-55
		120x240 / 47"x94.5"	12.5	A46GMAXI-BE0.MOC5R	PG-47	A46GMAXI-BE0.XOC5P	PG-52
		120x120 / 47"x47"	12.5	A22GMAXI-BE0.MOC5R	PG-47	A22GMAXI-BE0.XOC5P	PG-52
Mustard		135x305 / 53"x120"	14.5	A83GMAXI-MU0.MOC2R	PG-49	A83GMAXI-MU0.XOC2P	PG-52
		120x240 / 47"x94.5"	12.5	A46GMAXI-MU0.MOC5R	PG-45	A46GMAXI-MU0.XOC5P	PG-49
		120x120 / 47"x47"	12.5	A22GMAXI-MU0.MOC5R	PG-45	A22GMAXI-MU0.XOC5P	PG-49
Mocca		135x305 / 53"x120"	14.5	A83GMAXI-MOC.MOC2R	PG-51	A83GMAXI-MOC.XOC2P	PG-53
		120x240 / 47"x94.5"	12.5	A46GMAXI-MOC.MOC5R	PG-49	A46GMAXI-MOC.XOC5P	PG-51
		120x120 / 47"x47"	12.5	A22GMAXI-MOC.MOC5R	PG-49	A22GMAXI-MOC.XOC5P	PG-51
Light Brown		135x305 / 53"x120"	14.5	A83GMAXI-LBR.MOC2R	PG-45	A83GMAXI-LBR.XOC2P	PG-47
		120x240 / 47"x94.5"	12.5	A46GMAXI-LBR.MOC5R	PG-41	A46GMAXI-LBR.XOC5P	PG-45
		120x120 / 47"x47"	12.5	A22GMAXI-LBR.MOC5R	PG-41	A22GMAXI-LBR.XOC5P	PG-45
Brown		135x305 / 53"x120"	14.5	A83GMAXI-BR0.MOC2R	PG-48	A83GMAXI-BR0.XOC2P	PG-51
		120x240 / 47"x94.5"	12.5	A46GMAXI-BR0.MOC5R	PG-44	A46GMAXI-BR0.XOC5P	PG-48
		120x120 / 47"x47"	12.5	A22GMAXI-BR0.MOC5R	PG-44	A22GMAXI-BR0.XOC5P	PG-48

* Packing costs will be charged separately
Prices are subject to change

Wall: **Uni** Ivory | Floor: **Uni** Light Grey



SIZES	THICKNESS	APPLICATIONS
 135x305 cm 53"x120"	> < 14.5 mm 0.57" 135x305 cm / 53"x120"	
 120x240 cm 47"x94.5"	> < 12.5 mm 0.49" 120x240 cm / 47"x94.5"	
 120x120 cm 47"x47"	120x120 cm / 47"x47"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top

Wall: **Classic** Petra | Floor: **Uni** Ivory



MAXIMILIAN
COLLECTION

11	ANCHOR WOOD
23	CLASSIC
33	TOXO
39	TRAVERTINE
47	UNI
59	VOLCANO



Wall: **Volcano** Brown
Floor: **Volcano** Dark Grey

SIZES



120x240 cm
47"x94.5"




120x120 cm
47"x47"


THICKNESS

>|< **12.5 mm**
0.49"

APPLICATIONS

Floor | Wall | Commercial | Façade |
Vanity Top | Counter Top | Table Top |





SIZES



120x240 cm
47"x94.5"



120x120 cm
47"x47"

THICKNESS

>|< 12.5 mm
0.49"

APPLICATIONS

Floor | Wall | Commercial | Façade |
Vanity Top | Counter Top | Table Top |





Light Grey

Dark Grey

Brown Grey

Beige

Brown

COLOUR		SIZES (cm / inches)	THICKNESS (mm)	CODE (Matt)	PG * (Matt)	CODE (Polished)	PG * (Polished)
	Light Grey	120x240 / 47"x94.5" 120x120 / 47"x47"	12.5	A46GVOLC-LGY.MOC5R A22GVOLC-LGY.MOC5R	PG-44 PG-44	A46GVOLC-LGY.XOC5P A22GVOLC-LGY.XOC5P	PG-50 PG-50
	Dark Grey	120x240 / 47"x94.5" 120x120 / 47"x47"	12.5	A46GVOLC-DGY.MOC5R A22GVOLC-DGY.MOC5R	PG-44 PG-44	A46GVOLC-DGY.XOC5P A22GVOLC-DGY.XOC5P	PG-50 PG-50
	Brown Grey	120x240 / 47"x94.5" 120x120 / 47"x47"	12.5	A46GVOLC-BRG.MOC5R A22GVOLC-BRG.MOC5R	PG-44 PG-44	A46GVOLC-BRG.XOC5P A22GVOLC-BRG.XOC5P	PG-50 PG-50
	Beige	120x240 / 47"x94.5" 120x120 / 47"x47"	12.5	A46GVOLC-BEO.MOC5R A22GVOLC-BEO.MOC5R	PG-44 PG-44	A46GVOLC-BEO.XOC5P A22GVOLC-BEO.XOC5P	PG-50 PG-50
	Brown	120x240 / 47"x94.5" 120x120 / 47"x47"	12.5	A46GVOLC-BRO.MOC5R A22GVOLC-BRO.MOC5R	PG-44 PG-44	A46GVOLC-BRO.XOC5P A22GVOLC-BRO.XOC5P	PG-50 PG-50


* Packing costs will be charged separately
Prices are subject to change

SIZES	THICKNESS	APPLICATIONS
120x240 cm 47"x94.5" 120x120 cm 47"x47"	> < 12.5 mm 0.49"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top

Wall: **Volcano** Light Grey | Floor: **Volcano** Brown



Façade: **Volcano** Brown



SIZES	THICKNESS	APPLICATIONS
120x240 cm 47"x94.5" 120x120 cm 47"x47"	> < 12.5 mm 0.49"	Floor Wall Commercial Façade Vanity Top Counter Top Table Top

Wall: **Volcano** Light Grey | Floor: **Volcano** Dark Grey



Wall: **Volcano** Light Grey



Floor: **Anchor Wood** Anthracite



Unglazed Unpolished

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	RAK CERAMICS SPECIFICATION		
			14.5 (135X305 CM)	12.5 (120X240 CM)	12.5 (120X120 CM)
Surface Quality	BS EN ISO 10545-2	a minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects		
Length & Width	BS EN ISO 10545-2	± 0.6%	± 0.1%	± 0.1%	± 0.1%
Thickness	BS EN ISO 10545-2	± 5%	± 5%	± 5%	± 5%
Straightness Of Sides	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Rectangularity	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Surface Flatness: Warpage	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.1%	≤ 0.1%	≤ 0.1%
Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N	≥ 3500 N	≥ 3000 N	≥ 3000 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 40 N/mm ²	≥ 40 N/mm ²	≥ 40 N/mm ²
Resistance To Surface Abrasion	BS EN ISO 10545-7	-	-	-	-
Resistance To Deep Abrasion	BS EN ISO 10545-6	≤ 175 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	No visible defect	No visible defect
Crazing Resistance	BS EN ISO 10545-11	-	-	-	-
Frost Resistance	BS EN ISO 10545-12	Required	No visible damage	No visible damage	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum Class UB	Class UA - No visible effect	Class UA - No visible effect	Class UA - No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class ULA - No visible effect	Class ULA - No visible effect	Class ULA - No visible effect
Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class UHA - No visible effect	Class UHA - No visible effect	Class UHA - No visible effect
Resistance To Staining	BS EN ISO 10545-14	Test method available	Min. Class 2 - Stains removed	Min. Class 2 - Stains removed	Min. Class 2 - Stains removed
Note: This technical specification is applicable only to tiles in choice "A".			* Test performed using 60X60 cm cut pieces from the slab. * Thickness is nominal		

Unglazed Polished

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	RAK CERAMICS SPECIFICATION		
			14.5 (135X305 CM)	12.5 (120X240 CM)	12.5 (120X120 CM)
Surface Quality	BS EN ISO 10545-2	a minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects		
Length & Width	BS EN ISO 10545-2	± 0.6%	± 0.1%	± 0.1%	± 0.1%
Thickness	BS EN ISO 10545-2	± 5%	± 5%	± 5%	± 5%
Straightness Of Sides	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Rectangularity	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Surface Flatness: Warpage	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.1%	≤ 0.1%	≤ 0.1%
Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N	≥ 3500 N	≥ 3000 N	≥ 3000 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 40 N/mm ²	≥ 40 N/mm ²	≥ 40 N/mm ²
Resistance To Surface Abrasion	BS EN ISO 10545-7	-	-	-	-
Resistance To Deep Abrasion	BS EN ISO 10545-6	≤ 175 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	No visible defect	No visible defect
Crazing Resistance	BS EN ISO 10545-11	-	-	-	-
Frost Resistance	BS EN ISO 10545-12	Required	No visible damage	No visible damage	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum Class UB	Class UA - No visible effect	Class UA - No visible effect	Class UA - No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class ULA - No visible effect	Class ULA - No visible effect	Class ULA - No visible effect
Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class UHA - No visible effect	Class UHA - No visible effect	Class UHA - No visible effect
Resistance To Staining	BS EN ISO 10545-14	Test method available	Min. Class 2 - Stains removed	Min. Class 2 - Stains removed	Min. Class 2 - Stains removed
Note: This technical specification is applicable only to tiles in choice "A".			* Test performed using 60X60 cm cut pieces from the slab. * Thickness is nominal		

Glazed

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	RAK CERAMICS SPECIFICATION		
			14.5 (135X305 CM)	12.5 (120X240 CM)	12.5 (120X120 CM)
Surface Quality	BS EN ISO 10545-2	a minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects		
Length & Width	BS EN ISO 10545-2	± 0.6%	± 0.1%	± 0.1%	± 0.1%
Thickness	BS EN ISO 10545-2	± 5%	± 5%	± 5%	± 5%
Straightness Of Sides	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Rectangularity	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Surface Flatness: Warpage	BS EN ISO 10545-2	± 0.5%	± 0.15%	± 0.15%	± 0.15%
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%	≤ 0.4%	≤ 0.4%
Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N	≥ 3500 N	≥ 3000 N	≥ 3000 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 40 N/mm ²	≥ 40 N/mm ²	≥ 40 N/mm ²
Resistance To Surface Abrasion	BS EN ISO 10545-7	Manufacturer to state classification	PEI CLASS 2-4	PEI CLASS 2-5	PEI CLASS 2-4
Resistance To Deep Abrasion	BS EN ISO 10545-6	-	-	-	-
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	No visible defect	No visible defect
Crazing Resistance	BS EN ISO 10545-11	Required	No crazing	No crazing	No crazing
Frost Resistance	BS EN ISO 10545-12	Required	No visible damage	No visible damage	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum GB	Class GA - No visible effect	Class GA - No visible effect	Class GA - No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class GLA - No visible effect	Class GLA - No visible effect	Class GLA - No visible effect
Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	-	-	-	-
Resistance To Staining	BS EN ISO 10545-14	Minimum Class 3	Min. Class 4 - Stains removed	Min. Class 4 - Stains removed	Min. Class 4 - Stains removed

Note: This technical specification is applicable only to tiles in choice "A".

* Test performed using 60X60 cm cut pieces from the slab.
* Thickness is nominal

Wall: **Classic** Fiorito | Floor: **Anchor Wood** Beige





P.O. Box - 4714,
Ras Al Khaimah,
United Arab Emirates (U.A.E)
Tel : +971 7 2467000
Fax: +971 7 2445270
info@rakceram.com



www.rakceramics.com